



MINI

Miniature Downlight


Small Size

MINI is ideal for an integration with any kind of architectural element, with an installation hole of only Ø30mm.

The side access supply cable is optimised to reduce the installation depth to only 50mm.



50mm



Ø35 mm

Robust Design

Though small, the robust aluminium housing guarantees good thermal management and provides higher lumen output for its size.

A silicon gasket protects against dust and water ingress, providing IP54 protection.



Application

By offering three different beam angles, Archlum's MINI enables a wide application possibility.

While the spot lens of 15° provides accent lighting, the 35° wide beam is suitable for applications requiring a more general illumination and in cases where illumination from a near distance is required.

Spot 15°



Medium 25°



Wide 35°



MINI




Colour Rendering Index

CRI >90

System Power

4 W




15° Beam



25° Beam



35° Beam



* 3 to 10 luminaires in series



Catalogue ID	CCT	Beam	Light output	Power	IP level front	Dimensions
ARCH-MINI-15-927-4	2700K	15°	230 lm	4W	IP54	ø35x50
ARCH-MINI-25-927-4	2700K	25°	230 lm	4W	IP54	ø35x50
ARCH-MINI-35-927-4	2700K	35°	230 lm	4W	IP54	ø35x50
ARCH-MINI-15-930-4	3000K	15°	230 lm	4W	IP54	ø35x50
ARCH-MINI-25-930-4	3000K	25°	230 lm	4W	IP54	ø35x50
ARCH-MINI-35-930-4	3000K	35°	230 lm	4W	IP54	ø35x50
ARCH-MINI-15-940-4	4000K	15°	250 lm	4W	IP54	ø35x50
ARCH-MINI-25-940-4	4000K	25°	250 lm	4W	IP54	ø35x50
ARCH-MINI-35-940-4	4000K	35°	250 lm	4W	IP54	ø35x50

MINI




Colour Rendering Index

CRI >90

System Power

3 W




15° Beam



25° Beam



35° Beam



Catalogue ID	CCT	Beam	Light output	Power	IP level front	Dimensions
ARCH-MINI-15-927-3	2700K	15°	170 lm	3W	IP54	ø35x50
ARCH-MINI-25-927-3	2700K	25°	170 lm	3W	IP54	ø35x50
ARCH-MINI-35-927-3	2700K	35°	170 lm	3W	IP54	ø35x50
ARCH-MINI-15-930-3	3000K	15°	170 lm	3W	IP54	ø35x50
ARCH-MINI-25-930-3	3000K	25°	170 lm	3W	IP54	ø35x50
ARCH-MINI-35-930-3	3000K	35°	170 lm	3W	IP54	ø35x50
ARCH-MINI-15-940-3	4000K	15°	185 lm	3W	IP54	ø35x50
ARCH-MINI-25-940-3	4000K	25°	185 lm	3W	IP54	ø35x50
ARCH-MINI-35-940-3	4000K	35°	185 lm	3W	IP54	ø35x50

archlum

The right light for every space

www.archlum.com